










Listino Asus Consumer Electronics - Settembre 2011

valido dal 01/09/2011

	MODEM ROUTER WIFI ADSL 2+		WLAN ROUTER N DUAL BAND
	DSL-N12U	DSL-N10	RT-N56U
Note			
	!! NEW !!		
Descrizione	Modem ADSL2+ Router WiFi N 300 Mbps 4 porte Ethernet LAN 1 x USB Printer Server VIP Zone (x4 SSID) NAT Firewall integrato 2 x 5dBi powerful antennas	Modem ADSL2+ Router WiFi N 150 Mbps 4 porte Ethernet LAN VIP Zone (x4 SSID) NAT Firewall integrato 1 x 5dBi powerful antenna	Dual Band Wlan N Router 300 Mbps x 2 Concurrent 4 porte Gigabit LAN 2 x USB 2.0 Device sharing 3G USB sharing All day download
STREET PRICE	€ 69,90	€ 49,90	€ 139,90
PN	90-IG1P002M00-3PA0-	90-IG1K002M00-3PA0-	90-IG1G002M00-3PA0
EAN Code	4719543346563	4719543336212	4719543332467
Q.tà minima	10	10	5
Wireless Standard	802.11b/g/n draft 2.0	802.11b/g/n draft 2.0	802.11a/b/g/n
Data Rate	300 Mbps	150 Mbps	300 Mbps x 2
OS Support	Windows/Linux/MAC	Windows/Linux/MAC	Windows/Linux/MAC
WAN Ethernet Port	1 x RJ11	1 x RJ11	1 x RJ45
LAN Port	4 x 10/100 Ethernet	4 x 10/100 Ethernet	4 x 10/100/1000 Gigabit
USB port	1 x USB	No	2 x USB 2.0
Open Source (GPL)	Y	Y	Y
Firewall	Built-in NAT and SPI firewall	Built-in NAT firewall	Built-in NAT firewall
VIP Zone	4 x SSID	4 x SSID	
WPS	Y	Y	Y
EZQoS	Y	Y	Y
Note	* 2-in-1 device: router + ADSL modem * Auto VPI/VCI detection * All-in-one Printer Server Setup Utility * Wireless on/off button * WPS button * Reset button	* 2-in-1 device for wireless Internet connection sharing: 300Mbps Wi-Fi 802.11n wireless router with an ADSL2+/2+ modem embedded * 4 Multiple SSID * wireless on/off button, power on/off button, WPS button * Asus EZ UI for manual free/CD free setup.	* Hardware NAT : 1000Mbps WAN to LAN throughput * Support up to 300,000 sessions for extensive P2P clients. * Ultra-fast and Convenient Downloads with the Download Master * AiRadar : enhance your signal coverage by 10%
Frequency	2.4 ~ 2.6 GHz	2.4 ~ 2.6 GHz	2.4 and 5 GHz (Dual Band)
Antenna	2 x 5 dBi	1 x 5 dBi	2 x 3.8 dBi (2,4G) (interne) 3 x 5.1 dBi (5G) (interne)
Encryption	Supports 64/128-bit WEP WPA-PSK WPA2-PSK WPS	Supports 64/128-bit WEP WPA-PSK WPA2-PSK WPA-Enterprise WPA2-Enterprise Radius 802.1x	Supports 64/128-bit WEP WPA-PSK WPA2-PSK WPA-Enterprise WPA2-Enterprise Radius 802.1x
DC Power Adapter	Input : 220V Output :12V/1.5A 18W	Input : 220V Output :15V/0.8A 12W	Input: 100V ~ 240V Output: 19V /1.58A 30W




Listino Asus Consumer Electronics - Settembre 2011

valido dal 05/09/2011

Wireless ROUTER N					
	RT-N16	RT-N13U	RT-N12	RT-N10U	RT-N10+ (Ver.B)
Note		 			
Descrizione	Router WiFi N 300Mbps 4 Porte Gigabit LAN Open Source 2x USB 2.0 All day download Easy User Interface	Router WiFi N 300Mbps 4 Porte Ethernet LAN USB-Port 3G USB sharing All day download Switch HW button router/repeater/AP mode	Router WiFi N 300Mbps 4 Porte Ethernet LAN Open Source Switch hardware router/repeater/AP mode VIP Zone (x4 SSID) Graphic user interface	!! NEW !! Router WiFi N 150Mbps 4 Porte Ethernet LAN VIP zone (x4 SSID) 1x USB 2.0 printer server 1 x 5dBi powerful detachable antenna Easy User Interface	Router WiFi N 150Mbps 4 Porte Ethernet LAN VIP zone (x4 SSID) Open Source Easy User Interface
STREET PRICE	€ 114,90	€ 69,00	€ 49,90	€ 44,90	€ 39,90
PN	90-IG0D002M00-3EA0-	90-IG0S002M00-3PA0-	90-IG10003W00-01PKZ	90-IG1T002M00-3PA0-	90-IG0X002W02-3PA0-
EAN Code	4719543095782	4719543677087	4719543059494	4719543376652	4719543356999
Q.tà minima	10	10	10	10	10
Wireless Standard	802.11b/g/n	802.11n	802.11n	802.11n	802.11n
Data Rate	300 Mbps	300 Mbps	300 Mbps	150 Mbps	150 Mbps
OS Support	Windows/Linux/MAC	Windows/Linux/MAC	Windows/Linux/MAC	Windows/Linux/MAC	Windows/Linux/MAC
WAN Ethernet Port	1 x RJ45	1 x RJ45	1 x RJ45	1 x RJ45	1 x RJ45
LAN Port	4 x 10/100/1000 Gigabit	4 x 10/100 Ethernet	4 x 10/100 Ethernet	4 x 10/100 Ethernet	4 x 10/100 Ethernet
USB port	2 x USB 2.0	1 x USB 2.0		1 x USB 2.0	
Open Source (GPL)	Y	Y	Y	Y	Y
Firewall	Firewall NAT and SPI	Firewall NAT and SPI	Firewall NAT and SPI	Firewall NAT and SPI	Firewall NAT and SPI
VIP Zone			4 x SSID	4 x SSID	4 x SSID
WPS	Y	Y	Y	Y	Y
EZQoS	Y	Y	Y	Y	Y
Note	* Powerful CPU provides a high-performance throughput * Support up to 300,000 sessions for extensive P2P clients. * Ultra-fast and Convenient Downloads with the Download Master	* EZ UI - EZ Config * All-in-One Printer Server * EZ Switch * Ai Disk (FTP Server) * Enhanced Download Master * EZ QoS (Quality of Service)	* SuperSpeedN up to 300Mbps data rate, suitable for seamless multimedia stream. * Broadcom Accelerange™ deliver 450% Signal coverage. * 4-Network-in-1 * 30,000 sessions for stable P2P download	* Broadcom Accelerange™ deliver 300% Signal coverage * Web-based network map help user easily manage the network * 4-Network-in-1: Provide extra network for prioritized bandwidth and access control	* Broadcom Accelerange™ deliver 300% Signal coverage * Web-based network map help user easily manage the network * 4-Network-in-1: Provide extra network for prioritized bandwidth and access control
Frequency	2.4 ~ 2.5 GHz	2.4 ~ 2.5 GHz	2.4 ~ 2.5 GHz	2.4 ~ 2.5 GHz	2.4 ~ 2.5 GHz
Antenna	3 x 2 dBi	2 x 3dBi	2 x 2 dBi	1 x 5dBi	1 x 3dBi
Encryption	Supports 64/128-bit WEP WPA-PSK WPA2-PSK WPA-Enterprise WPA2-Enterprise Radius 802.1x	Supports 64/128-bit WEP WPA-PSK WPA2-PSK WPA-Enterprise WPA2-Enterprise Radius 802.1x	Supports WEP, WPA, and WPA2 methods for enhanced security	Supports WEP, WPA, and WPA2 methods for enhanced security	Supports WEP, WPA, and WPA2 methods for enhanced security
DC Power Adapter	Input: 100V ~ 240V Output: 12V /1.25A 15W	Input: 100V ~ 240V Output: 12V /1A 12W	Input: 100V ~ 240V Output: 12V /1A 12W	Input: 100V ~ 240V Output: 12V /1A 12W	Input: 100V ~ 240V Output: 12V /1A 12W





Listino Asus Consumer Electronics - Settembre 2011

valido dal 05/09/2011

Wireless ROUTER G			
	WL-500gP V2	WL-520gU	WL-520gC
Note			
Descrizione	Router WiFi G 125Mbps 4 Porte Ethernet LAN 2x USB 2.0 All day download Easy User Interface	Router WiFi G 125Mbps 4 Porte Ethernet LAN USB Printer server Open Source Easy User Interface	Router WiFi G 125Mbps 4 Porte Ethernet LAN Open Source
STREET PRICE	€ 59,90	€ 39,90	€ 29,00
PN	90-IBU002M00-01PZ	90-IBM002M01-3PA0Z	90-ID8002M00-01PZ
EAN Code	4719543730164	4719543732991	4719543731581
Q.tà minima	10	10	10
Wireless Standard	802.11g	802.11g	802.11g
Data Rate	125 Mbps	125 Mbps	125 Mbps
OS Support	Windows/Linux/MAC	Windows/Linux/MAC	Windows/Linux/MAC
WAN Ethernet Port	1 x RJ45	1 x RJ45	1 x RJ45
LAN Port	4 x 10/100 Ethernet	4 x 10/100 Ethernet	4 x 10/100 Ethernet
USB port	2 x USB 2.0	1 x USB 2.0	
Open Source (GPL)	Y	Y	Y
Firewall	Firewall NAT and SPI	Firewall NAT and SPI	Firewall NAT and SPI
VIP Zone			
WPS	Y	Y	Y
EZQoS	Y	Y	Y
Note	* Plug-n'-Share USB applications: Webcam, printer, storage *Broad Range Technology enhance 300% coverage than 802.11g * Download master support	* 125Mbps High Speed Mode(HSM) technology * EZConfig - EZSetup, WCN (Windows Connect Now) support * EZQoS - Bandwidth-On- Demand (BOD) * EZPrint_Share - Built-in Printer Server	
Frequency	2.4 ~ 2.5 GHz	2.4 ~ 2.5 GHz	2.4 ~ 2.5 GHz
Antenna	1 interna + 1 esterna	1 interna + 1 esterna	1 x 2dBi
Encryption	Supports WEP, WPA, and WPA2 methods for enhanced security	Supports 64/128-bit WEP WPA-PSK WPA2-PSK WPA-Enterprise WPA2-Enterprise Radius 802.1x	Supports 64/128-bit WEP WPA-PSK WPA2-PSK WPA-Enterprise WPA2-Enterprise Radius 802.1x
DC Power Adapter	Input: 100V ~ 240V Output: 5V /2,5A 12,5W	Input: 100V ~ 240V Output: 5V /2A 10W	Input: 100V ~ 240V Output: 9V /1A 9W





Listino Asus Consumer Electronics - Settembre 2011

valido dal 01/09/2011

		ROUTER PORTATILI		Wireless Card	
		WL-330gE	WL-330N3G	PCE-N15	PCE-N10
Note					
Descrizione		Router Portatile WLAN 802.11g 125Mbps	Router Portatile WLAN 802.11n 150Mbps 3G HSDPA sharing 6-in-1 functions WPS button	WLAN card 802.11n 300Mbps PCI-Express 2 Antenne staccabili	WLAN card 802.11a/b/g/n 150Mbps PCI-Express Antenna da 3dBi Funzionalità AP
STREET PRICE		€ 49,00	€ 79,00	€ 34,90	€ 21,90
PN		90-IDA002M00-01PZ	90-IG1C002M00-3PA0-	90-IG1U003M00-0PA0-	90-IG1Q003M00-0PA0-
EAN Code		4719543733639	4719543325032	4719543379790	4719543364970
Q.tà minima		12	12	30	30
Wireless Standard		802.11b/g	802.11b/g	802.11b/g/n draft 2.0	802.11b/g/n draft 2.0
Data Rate		125 Mbps	150 Mbps	300 Mbps	300 Mbps
OS Support		Windows/Linux/MAC	Windows/Linux/MAC	Windows/Linux	Windows/Linux/MAC
WAN Ethernet Port					
LAN Port		1 x 10/100 Ethernet	1 x 10/100 Ethernet		
USB port					
Open Source (GPL)		Y	Y	Y	Y
Firewall		Firewall NAT and SPI	Firewall NAT and SPI		
VIP Zone					
WPS			Y	Y	
EZQoS					
Note		* Antenna Gain in 1.25dBi * Five operation modes : AP, Gateway, Client, Repeater, Bridge	* Antenna Gain in 2.6dBi * Six operation modes : AP, Gateway, Client, Repeater, Bridge, 3G sharing		
Frequency		2.4 GHz	2.4 GHz	2.4 GHz	2.4 GHz
Antenna		1 x 1,25 dBi (interna)	1 x 2,6 dBi (interna)	2 esterne staccabili	2 esterne
Encryption		Supports WEP, WPA, and WPA2 methods for enhanced security	Supports WEP, WPA, and WPA2 methods for enhanced security	Supports WEP, WPA, and WPA2 methods for enhanced security	Supports WEP, WPA, and WPA2 methods for enhanced security
DC Power Adapter		Input: 100V ~ 240V Output: 5V /1A 5W	Input: 100V ~ 240V Output: 5V /2A 10W		



Listino Asus Consumer Electronics - Settembre 2011

valido dal 01/09/2011

Wireless Dongles USB				
	USB-N13	USB-N10	WL-167g_V3	USB-BT211
Note				
Descrizione	WLAN USB Adapter 802.11n 300Mbps WPS HW button, WPA2 PSP Xlink Kai Support	WLAN USB Adapter 802.11n 150Mbps WPS HW button; WPA2 PSP Xlink Kai Support	WLAN USB Adapter 802.11n 150Mbps con cavo USB flessibile PSP Xlink Kai Support	Bluetooth 2.1+EDR USB mini dongle Copertura di 100mt.
STREET PRICE	€ 23,90	€ 22,90	€ 16,90	€ 13,40
PN	90-IG13002N00-0PA0-	90-IG14002M00-0PA0-	90-IG1D002W00-0PA0-	90-IG0Y002W00-0PD0
EAN Code	4719543086858	4719543063477	4719543098240	4719543696712
Q.tà minima	40	20	40	50
Wireless Standard	802.11b/g/n draft 2.0	802.11b/g/n	802.11b/g/n	
Data Rate	300 Mbps	150 Mbps	150 Mbps	3 Mbps
OS Support	Windows/Linux/MAC	Windows/Linux/MAC	Windows/Linux/MAC	Windows/Linux/MAC
WAN Ethernet Port				
LAN Port				
USB port				
Open Source (GPL)				
Firewall				
VIP Zone				
WPS	Y	Y	Y	
EZQoS				
Note	Secure and Consistent connection 2-in-1 device for wireless connection sharing PSP Xlink Kai Support EZ WPS	Secure and Consistent connection Outstanding performance MIFA antenna The world most compact WLAN card PSP Xlink Kai Support EZ WPS		
Frequency	2.4 GHz	2.4 GHz	2.4 GHz	
Antenna	2 interne	2 interne	1 interna	
Encryption	Supports 64/128-bit WEP WPA-PSK WPA2-PSK TKIP AES	Supports 64/128-bit WEP WPA-PSK WPA2-PSK TKIP AES	Supports WEP, WPA, and WPA2 methods for enhanced security	
DC Power Adapter				



Listino Asus Consumer Electronics - Settembre 2011





valido dal 01/09/2011




Extension / Antennas	
WL-ANT168g	WL-ANT150g
	
Note	
Descrizione	Antenna Esterna Omnidirezionale Guadagno 5 dBi
	Antenna Esterna Direzionale Dual Band 2,4 ~ 5 Ghz Guadagno 6 ~ 8 dBi
STREET PRICE	€ 39,00
ivato	€ 24,90
PN	90-100ANB000-
EAN Code	4719543716212
Q.tà minima	20
Wireless Standard	802.11b/g
Data Rate	
OS Support	
WAN Ethernet Port	
LAN Port	
USB port	
Open Source (GPL)	
Firewall	
VIP Zone	
WPS	
EZQoS	
Note	
Frequency	
Antenna	
Encryption	
DC Power Adapter	

Listino Asus Consumer Electronics - Settembre 2011

valido dal 01/09/2011





		Layer 2 Unmanaged Gigabit Switch	
		GX-D1081	GX-D1051
			
Note			
Descrizione		8 porte Gigabit Switch Top Priority VIP port rack-mountable design Green Network Technology	5 porte Gigabit Switch Top Priority VIP port rack-mountable design Green Network Technology
STREET PRICE		€ 49,90	€ 34,90
ivato			
PN		90-QB612AN1NON3MA0-	90-QB602AN1NON3MA0-
EAN Code		4719543757215	4719543757192
Q.tà minima		20	20
Garanzia		2 Year	2 Year
Auto Sensing		8 RJ-45 10/100/1000BaseTX	5 RJ-45 10/100/1000BaseTX
Ports		1 x LAN VIP Port	1 x LAN VIP Port
Standard		IEEE802.3 10Base-T IEEE802.3u 100Base-TX IEEE802.3ab 1000Base-T IEEE802.3x Flow Control IEEE 802.3az	IEEE802.3 10Base-T IEEE802.3u 100Base-TX IEEE802.3ab 1000Base-T IEEE802.3x Flow Control IEEE 802.3az
Green Network		Green Network - power saving s up to 70%	Green Network - power saving s up to 60%
Caratteristiche		Bandwidth: 10Gbps/16Gbps Packet Buffer Memory: 832Kb/1MB MAC Address Table: 1K/4K Jumbo Frame Support up to 12KB Fanless Solution	Bandwidth: 10Gbps/16Gbps Packet Buffer Memory: 832Kb/1MB MAC Address Table: 1K/4K Jumbo Frame Support up to 12KB Fanless Solution
Safety & EM		FCC, CE, LVD, VCCI, C-Tick	FCC, CE, LVD, VCCI, C-Tick

Layer 2 Unmanaged 10/100 Mbps Switch Metallic case				
	GX 1024X (v2)	FX-D1162	GX 1008	GX 1005
Note				
Descrizione	24 porte 10/100 19" rack-mountable Green Network Technology	16 porte 10/100 2 x Top Priority port Green Network Technology Metallic case rack-mountable design	Switch 8 x 10/100 Metallic case rack-mountable design	Switch 5 x 10/100 Metallic case rack-mountable design
STREET PRICE	€ 57,40	€ 39,90	€ 21,90	€ 18,90
PN	90-Q7Y1AN1N0AU30-	90-QB631AN1NON3MA0-	90-Q663AN1NON3UA0-	90-Q653AN1NON3UA0-
EAN Code	4719543910986	4719543678831	4719543908365	4719543908297
Q.tà minima	5	10	20	20
Garanzia	5 Year	2 Year	2 Year	2 Year
Auto Sensing Ports	24 RJ-45 10/100BaseTX	16 RJ-45 10/100BaseTX 2 x LAN VIP Port	8 RJ-45 10/100BaseTX	5 RJ-45 10/100BaseTX
Standard	IEEE802.3 10Base-T IEEE802.3u 100Base-TX IEEE802.3x Flow Control IEEE802.3az Energy Efficient Ethernet	IEEE802.3 10Base-T IEEE802.3u 100Base-TX IEEE802.3x Flow Control	IEEE802.3 10Base-T IEEE802.3u 100Base-TX IEEE802.3x Flow Control	IEEE802.3 10Base-T IEEE802.3u 100Base-TX IEEE802.3x Flow Control
Green Network	Green Network - power saving s up to 60%	Green Network - power saving s up to 60%	Green Network - power saving s up to 40%	Green Network - power saving s up to 40%
Caratteristiche	Bandwidth: 4.8Gbps MAC Address Table: 8K	Up to 4096 MAC Addresses Non-blocking Wire Speed Auto MDI/ MDIX Plug & Play 2 built-in VIP LAN Ports Metal case rack-mountable design	Non-blocking Wire Speed Auto-negotiation for Speed and Duplex Auto MDI/MDIX Plug & Play Metal Case Desktop Solution	Non-blocking Wire Speed Auto-negotiation for Speed and Duplex Auto MDI/MDIX Plug & Play Metal Case Desktop Solution
Safety & EMC	FCC, CE, LVD, CCC		FCC Class B, CE VCCI	FCC Class B, CE VCCI

Layer 2 Unmanaged 10/100 Mbps Switch			
	FX D1161	GX 1008B	GX 1005B
			
Note	EOL		
Descrizione	16 porte 10/100 Green Network Technology	Switch 8 x 10/100 Green Network Technology	Switch 5 x 10/100 Green Network Technology
STREET PRICE	€ 36,90	€ 18,90	€ 15,90
PN	90-QB621AN1N0N3MA0-	90-Q874AN1N0N3MA0-	90-Q864AN1N0N3MA0-
EAN Code	4719543760628	4719543910573	4719543910535
Q.tà minima	10	20	20
Garanzia	2 Year	2 Year	2 Year
Auto Sensing	16 RJ-45 Ports 10/100BaseTX	8 RJ-45 10/100BaseTX	5 RJ-45 10/100BaseTX
Standard	IEEE802.3 10Base-T IEEE802.3u 100Base-TX IEEE802.3x Flow Control	IEEE802.3 10Base-T IEEE802.3u 100Base-TX IEEE802.3x Flow Control	IEEE802.3 10Base-T IEEE802.3u 100Base-TX IEEE802.3x Flow Control
Green Network	Green Network - power saving s up to 60%	Green Network - power saving s up to 40%	Green Network - power saving s up to 40%
Caratteristiche	Up to 4096 MAC Addresses Non-blocking Wire Speed Auto MDI/ MDIX Plug & Play Easy-to-use LED Plastic case stylish design	Non-blocking Wire Speed Auto-negotiation for Speed and Duplex Auto MDI/MDIX Plug & Play White	Non-blocking Wire Speed Auto-negotiation for Speed and Duplex Auto MDI/MDIX Plug & Play White
Safety & EMI		FCC Class B, CE VCCI	FCC Class B, CE VCCI

Listino Asus Consumer Electronics - Settembre 2011

valido dal 05/09/2011

	HO Router with Firewall	NAS	Powerline	
	RX 3041 V2	NAS-M25	PL-X31M	PL-X32M
				
Note		!! NEW !!	!! NEW !!	!! NEW !!
Descrizione	Wired Router with Firewall 4 porte Ethernet LAN	Primo NAS ASUS 2 x 3,5" HDD bay GIGABIT NAS 10 Sec System Snapshot 2 Min System Recovery	Usa la tua presa di corrente per trasmettere i tuoi dati in sicurezza!! Homeplug AV 200Mbps Confezione da 1 pezzo	Usa la tua presa di corrente per trasmettere i tuoi dati in sicurezza!! Homeplug AV 200Mbps Confezione da 2 pezzi
STREET PRICE	€ 19,90	€ 239,90	€ 49,90	€ 79,90
PN	90-QB031AR3FNN3CA0-	90-IG16002000-3PA0-	90-QBE21ANMNOEAM30-	90-QBE31ANMNOEAM30-
EAN Code	4719543986752	4719543067697	4719543356258	4719543356302
Q.tà minima	20	5	20	20
Garanzia	2 Year		2 Year	2 Year
Auto Sensing Ports	4 x LAN 1 x WAN			
Standard	IEEE802.3 10Base-T IEEE802.3u 100Base-TX RFC 2516 (PPPoE)			
Green Network				
Caratteristiche	Firewall—DOS Protection URL Filtering Up to 4,000 Concurrent Sessions NAT—Static, Dynamic, Virtual Server Easy-to-use Web-GUI Mngt.			
Safety & EMI	FCC, CE, LVD, C-Tick			

Listino Asus Consumer Electronics - Settembre 2011

valido dal 01/09/2011



		LAN PCI Card	
		NX1101	NX1001
			
Note			
Descrizione		Gigabit PCI LAN Wake-on-LAN Jumbo Frame FIFO 32k	Ethernet PCI LAN
STREET PRICE		€ 11,90	€ 5,24
ivato			
PN		90-Q401PN1N0AM03-	90-Q421GN1N0AM00-
EAN Code		4719543908655	4719543910504
Q.tà minima		50	50
Garanzia		3 Year	3 Year
Auto Sensing Ports			
Standard			
Green Network			
Caratteristiche		10/100/1000 Mbps Auto-negotiation for Speed and Duplex Auto MDI/ MDIX Jumbo Frame Support	10/100 Mbps Half/ Full Duplex Capability Plug & Play
Safety & EMI			














Photo	NOTE	Series Name	Model Name	Pack	Pack Qty	P/N	EAN Code	WEEL Weight	Street Price	Velocità in Scrittura	Color	Interface	LightScribe	Software	
		Blue-Ray External HH Writer													
		HT BLURAY BD WRITER	BW-12D15-U/BLK/G/AS	Retail	6	90-000000-UN02142	473954410317	2	€ 189,90	BD-R (DL) 12x / BD-R (DL) 8x BD-ROM 8x / BD-RE 2x DVD-ROM 16x / DVD-RAM 5x DVD-R 8x / DVD-RSL 8x / DVD-RW 8x (16x1) CD-ROM 8x / CD-R 8x / CD-RW 24x	BLACK	USB 3.0	N	CyberLink Power2Go 7 CyberLink PowerDVD 10 with Magic Cinema	
		Blue-Ray External Slim Writer (USB)													
		FOCUS HT SLIM BLURAY	SRW-06C15-U/BLK/G/AS	Retail	8	90-070200-UN03142	473954410323	0,66	€ 179,90	BD-R (DL) 12x / BD-R (DL) 8x BD-ROM 8x / BD-RE 2x DVD-ROM 16x / DVD-RAM 5x DVD-R 8x / DVD-RSL 8x / DVD-RW 8x (16x1) CD-ROM 8x / CD-R 8x / CD-RW 24x	BLACK	USB	N	CyberLink BD Suite (Power2Go 6(Burn) + PowerDVD 9(BD-3D version))	
		Blue-Ray External Slim Combo (USB)													
		FOCUS HT SLIM BD COMBO	SRW-06D15-U/BLK/G/AS	Retail	8	90-070200-UN03142	473954410324	0,671	€ 119,90	BD-ROM 8x / DVD-RAM 5x DVD-R 8x / DVD-RSL 8x / DVD-RW 8x (16x1) CD-ROM 8x / CD-R 8x / CD-RW 24x	BLACK	USB	N	CyberLink BD Suite (Power2Go 6(Burn) + PowerDVD 9(BD-3D version))	
		DRW - External Slim (USB)													
		FOCUS HT ULTRA SLIM	SRDRW-08-H/BLK/G/AS	Retail	10	90-000000-UN01510	473954410211	0,22	€ 69,90	DVD-ROM 8x / DVD-RAM 5x DVD-R 8x / DVD-RSL 8x / DVD-RW 8x (16x1) CD-ROM 24x / CD-R 24x / CD-RW 56x	BLACK	USB	N	Certification with CE/FCC/BSM/C-tick/UL/CUL	
		FOCUS HT SLIM DRW	SRRW-08D25-U/DBLK/G/AS	Retail	8	90-000413-UN01510	473954410285	0,38	€ 49,90	DVD-ROM 8x / DVD-RAM 5x DVD-R 8x / DVD-RSL 8x / DVD-RW 8x (16x1) CD-ROM 24x / CD-R 24x / CD-RW 56x	BLACK	USB	N	CyberLink Power2Go(Burn)	
		DRW - External Slim (USB)													
		FOCUS HT SLIM DRW	SRRW-08D25-U/WHHT/G/AS	Retail	8	90-000413-UN03242	473954410303	0,38	€ 49,90	DVD-ROM 8x / DVD-RAM 5x DVD-R 8x / DVD-RSL 8x / DVD-RW 8x (16x1) CD-ROM 24x / CD-R 24x / CD-RW 56x	WHITE	USB	N	CyberLink Power2Go(Burn)	
		Blue-Ray BD Writer (SATA)													
		BLURAY BD WRITER	BW-12B11T/BLK/G/AS/US	Retail	10	90-080310-UN02110	473954410375	0,65	€ 149,00	BD-R (DL) 12x / BD-R (DL) 8x BD-ROM 8x / BD-RE 2x DVD-ROM 16x / DVD-RAM 12x DVD-R 8x / DVD-RSL 8x / DVD-RW 8x (16x1) CD-ROM 8x / CD-R 8x / CD-RW 24x	BLACK	SATA	Y	CyberLink BD Suite (Power2Go 6(Burn) + PowerDVD 9(BD-3D version))	
		Blue-Ray BD Combo (SATA)													
		BLURAY BD COMBO	BC-12B11T/BLK/G/AS/US	Retail	12	90-080310-UN02110	473954410280	0,65	€ 89,90	BD-ROM 12x DVD-ROM 16x / DVD-RAM 12x DVD-R 8x / DVD-RSL 8x / DVD-RW 8x (16x1) CD-ROM 8x / CD-R 8x / CD-RW 24x	BLACK	SATA	Y	Burning: Power2Go7 + Playback: PowerDVD10	
		BLURAY BD COMBO	BC-12B11T/BLK/R/AS/US	Bulk	20	90-080310-UN02110	473954410301	0,65	€ 69,90	BD-ROM 12x DVD-ROM 16x / DVD-RAM 12x DVD-R 8x / DVD-RSL 8x / DVD-RW 8x (16x1) CD-ROM 8x / CD-R 8x / CD-RW 24x	BLACK	SATA	Y	CyberLink Power2Go 7(Burn)	
		DRW - LightScribe (SATA)													
		DVD-RW	DRW-24B31T/BLK/G/AS	Retail	12	90-040008-UN0710	473954410204	0,65	€ 25,90	DVD-R 24x / DVD-RSL 12x DVD-ROM 16x / DVD-RAM 12x DVD-RW 8x / DVD-RW 6x CD-ROM 8x / CD-R 8x / CD-RW 24x	BLACK	SATA	Y	Nero 10	
		DVD-RW	DRW-24B31T/BLK/R/AS	Bulk	20	90-040008-UN0710	473954410301	0,65	€ 24,90	DVD-R 24x / DVD-RSL 12x DVD-ROM 16x / DVD-RAM 12x DVD-RW 8x / DVD-RW 6x CD-ROM 8x / CD-R 8x / CD-RW 24x	BLACK	SATA	Y	None	
		DRW - Super-Multi (SATA)													
		DVD-RW	DRW-24B31T/BLK/G/AS	Retail	12	90-040008-UN0710	473954410211	0,65	€ 23,90	DVD-R 24x / DVD-RSL 12x DVD-ROM 16x / DVD-RAM 12x DVD-RW 8x / DVD-RW 6x CD-ROM 8x / CD-R 8x / CD-RW 24x	BLACK	SATA	N	Nero 10	
		DVD-RW	DRW-24B31T/BLK/R/AS	Bulk	20	90-040008-UN0710	473954410301	0,65	€ 22,90	DVD-R 24x / DVD-RSL 12x DVD-ROM 16x / DVD-RAM 12x DVD-RW 8x / DVD-RW 6x CD-ROM 8x / CD-R 8x / CD-RW 24x	BLACK	SATA	N	None	
		DRW - LightScribe (PATA)													
		DVD-RW	DRW-22B31/BLK/G/AS	Retail	12	90-040002-UN0710	473954410374	0,65	€ 28,90	DVD-R 22x / DVD-RSL 12x DVD-ROM 16x / DVD-RAM 12x DVD-RW 8x / DVD-RW 6x CD-ROM 8x / CD-R 8x / CD-RW 24x	BLACK	PATA	Y	Nero 10	
		DVD-RW	DRW-22B31/BLK/R/AS	Bulk	20	90-040002-UN0710	473954410301	0,65	€ 27,90	DVD-R 22x / DVD-RSL 12x DVD-ROM 16x / DVD-RAM 12x DVD-RW 8x / DVD-RW 6x CD-ROM 8x / CD-R 8x / CD-RW 24x	BLACK	PATA	Y	None	
		DRW - Super-Multi (PATA)													
		DVD-RW	DRW-22B31/BLK/G/AS	Retail	12	90-040002-UN0710	473954410374	0,65	€ 25,90	DVD-R 22x / DVD-RSL 12x DVD-ROM 16x / DVD-RAM 12x DVD-RW 8x / DVD-RW 6x CD-ROM 8x / CD-R 8x / CD-RW 24x	BLACK	PATA	N	Nero 10	
	DVD-RW	DRW-22B31/BLK/R/AS	Bulk	20	90-040002-UN0710	473954410301	0,65	€ 24,90	DVD-R 22x / DVD-RSL 12x DVD-ROM 16x / DVD-RAM 12x DVD-RW 8x / DVD-RW 6x CD-ROM 8x / CD-R 8x / CD-RW 24x	BLACK	PATA	N	None		

	Photo	Product	Info	MOQ	WEEE	P/N	EAN CODE	Street Price	Interface	Audio Performance	Other Spec	Other Info
Amplificatore Audio USB		XONAR U3	Scheda audio dedicata portatile USB Ideale per portare l'audio dei NB/Netbook alla qualità HD con Dolby Digital Live amplificatore per cuffie con DOLBY surround DOLBY VIRTUAL Speaker 7.1	10		90-YA8220B-UAN062	471054337251	€ 39,90	USB 2.0	20K for cleaner sound @ 96dB Headphone AMP up to 1.50 ohm THD+N @ 0.05% Headphone gain level settings: 3 levels	- Stereo/S/PDIF Combo Line I/O/In/Out	Dolby Virtual speaker Dolby Headphone Dolby Pro Logic IIx Dolby Digital Live
		XONAR U1 Lite (Piano Black)	Amplificatore per Notebook/Netbook/Desktop (NERO)	10	0,45	90-YA8100B-UAN062	471054336370	€ 54,90	USB 2.0	100 dB Dynamic 96dB	Input: Stereo/Mic/Line-In Output: S/PDIF out	S/PDIF optical adapter cable *1
		XONAR U1 Lite (Metal Silver)	Amplificatore per Notebook/Netbook/Desktop (ARGENTO)	10	0,45	90-YA8100G-UAN062	471054336486	€ 54,90	USB 2.0	100 dB Dynamic 96dB	Input: Stereo/Mic/Line-In Output: S/PDIF out	S/PDIF optical adapter cable *1
		XONAR U1 Lite (White)	Amplificatore per Notebook/Netbook/Desktop (BIANCO)	10	0,45	90-YA8100W-UAN062	471054336483	€ 54,90	USB 2.0	100 dB Dynamic 96dB	Input: Stereo/Mic/Line-In Output: S/PDIF out	S/PDIF optical adapter cable *1

	Notes	Sound Cards	Notes	MIO/Q	WEEE	P/N	EAN CODE	Street Price	Interface	I/O	SNR (dB)		THD+N	EAX	Dolby features	DTS features	OS support	I/O LED
											Higher = Better	Lower = Better	Lower = Better					
PCI Express Audio card		XONAR HDAVL3 Deluxe	7.1 Channel Audio Card	10	0,56	90-YAAB85-0LJAN002	4719548037614	€ 259,90	PCI	DMUX In DMUX Out SPDIF Out SPDIF In/Out Front/Back Combo Jacks Line In, Mic In	120dB	Ultra High Fidelity 0.0040%	CL 2.1 (LXK 5.0)	DV5 SHI SPBLX DOL SOPHUS SOFWARD	DTS Connect DTS Interactive DTS-MED-PC DTS HD	W7/VISTA/XP	N/A	
		Xonar Xense	Premium Gaming Audio Set Scheda + Cuffie SENNHEISER include	4	1,32	90-YAAB80-0LJAN002	4719548330304	€ 249,90	PCI	6-3mm Headphone In 6.3mm Mic In Line In/Line Out SPDIF (Channel) for 7.1 Front/Back SPDIF (Channel) Combo Out DMUX In DMUX Out SPDIF In/Out Front/Back Combo Jacks Line In, Mic In	118dB	Ultra High Fidelity 0.0040%	CL 2.1 (LXK 5.0)	DV5 SHI SPBLX DOL		W7/VISTA/XP	N/A	
		Xonar HDAVL3	7.1 Channel Audio Card	10	0,56	90-YAAB86-0LJAN002	4719548038274	€ 229,90	PCI	DMUX In DMUX Out SPDIF Out SPDIF In/Out Front/Back Combo Jacks Line In, Mic In	120dB	Ultra High Fidelity 0.0040%	CL 2.1 (LXK 5.0)	DV5 SHI SPBLX DOL SOPHUS SOFWARD	DTS Connect DTS Interactive DTS-MED-PC DTS HD	W7/VISTA/XP	N/A	
		Xonar Essence STX	Industry-leading 124 dB SNR / Headphone Amp card for Audiophiles	10	0,56	90-YAAB03-0LJAN002	4719548041102	€ 189,90	PCI	Headphone In Headphone Out SPDIF Out SPDIF In/Out Front Audio Header Mic In Line In	Industry-Leading Fidelity All channel: 124 dB	Industry-Leading Fidelity 0.0020%	CL 2.1 (LXK 5.0)	DV5 SHI SPBLX DOL	N/A	W7/VISTA/XP	N/A	
		XONAR D2X/D2T	7.1 Channel Audio Card	10	0,56	90-YAAB55-0LJAN002	4719548032008	€ 159,90	PCI	3-channel SPDIF IN/OUT DMUX In DMUX Out Mic In	118dB	0.0040%	CL 2.1 (LXK 5.0)	DV5 SHI SPBLX DOL	DTS Connect DTS Interactive DTS-MED-PC	W7/VISTA/XP	Yes 6 colors	
		XONAR D1X/D1T	7.1 Channel Audio Card with Low Profile design	10	0,2	90-YAAB00-0LJAN002	4719548034255	€ 69,90	PCI	3-channel SPDIF IN/OUT Front/Back Combo with line-in Line In/Mic In	Front: 116 dB Side: 113 dB	Ultra High Fidelity 0.002500%	CL 2.1 (LXK 5.0)	DV5 SHI SPBLX DOL	N/A	W7/VISTA/XP	N/A	
PCI audio card		Xonar Essence ST	Industry-leading 124 dB SNR / Headphone Amp card for Audiophiles	10	0,56	90-YAAB03-0LJAN002	4719548042004	€ 189,90	PCI	Headphone In Headphone Out SPDIF Out SPDIF In/Out Front Audio Header Mic In Line In	Industry-Leading Fidelity All channel: 124 dB	Industry-Leading Fidelity 0.0020%	CL 2.1 (LXK 5.0)	DV5 SHI SPBLX DOL	N/A	W7/VISTA/XP	N/A	
		Xonar HDAVL3 Slim	World's only HDMI1.3 audio card with lossless blu-ray audio for All HTPC Straps	10	0,56	90-YAAB00-0LJAN002	4719548041305	€ 159,90	PCI	DMUX In DMUX Out SPDIF Out SPDIF In/Out Front/Back Combo Jacks Line In, Mic In	Industry-Leading Fidelity All channel: 124 dB	Industry-Leading Fidelity 0.0020%	CL 2.1 (LXK 5.0)	DV5 SHI SPBLX DOL SOPHUS SOFWARD	DTS Connect DTS Interactive DTS-MED-PC DTS HD	W7/VISTA/XP	N/A	
		XONAR D2	7.1 Channel Audio Card	10	0,56	90-YAAB01-0LJAN002	4719548030332	€ 149,90	PCI	3-channel SPDIF IN/OUT DMUX In DMUX Out Mic In	118dB	0.0040%	CL 2.1 (LXK 5.0)	DV5 SHI SPBLX DOL	DTS Connect DTS Interactive DTS-MED-PC	W7/VISTA/XP	Yes 6 colors	
		XONAR D1	7.1 Channel Audio Card with Low Profile design	10	0,56	90-YAAB00-0LJAN002	4719548037792	€ 69,90	PCI	3-channel SPDIF IN/OUT DMUX In DMUX Out Mic In	Front: 116 dB Side: 113 dB	Ultra High Fidelity 0.002500%	CL 2.1 (LXK 5.0)	DV5 SHI SPBLX DOL	N/A	W7/VISTA/XP	N/A	
		XONAR D5	Most affordable PC Hi-Fi solution	10	0,56	90-YAAB01-0LJAN002	4719548040461	€ 49,90	PCI	3-channel SPDIF Out Line In/Mic In Combo SPDIF Header Front Audio Header Mic In	Front: 107	0.00%	CL 2.1 (LXK 5.0)	N/A	DTS Connect DTS Interactive DTS-MED-PC	W7/VISTA/XP	N/A	
		Xonar DG	PCI 5.1 & Headphone Amp Card	10	0,56	90-YAAB00-0LJAN002	4719541330078	€ 29,90	PCI	3-channel SPDIF Out Line In/Mic In Combo SPDIF Header Front Audio Header Mic In	Front: 105	0.00%	CL 2.1 (LXK 5.0)	DV5 SHI	DTS Connect DTS Interactive DTS-MED-PC	W7/VISTA/XP	N/A	
External Cards		Xonar HG	Multi-channel extension card for Xonar Essence ST / Xonar HDAVL3	10	0,26	90-YAAB00-0LJAN002	4719548031054	€ 39,90	FLAT CASE	SPDIF Out Line In/Mic In Combo SPDIF Header Front Audio Header	Ultra High Fidelity All channel: 120	Ultra High Fidelity 0.0040%	NA	NA	N/A	W7/VISTA/XP	N/A	

Listino Asus Consumer Electronics - Settembre 2011

valido dal 05/09/2011

Notes	Model	Info	P/N	EAN CODE	MIN QTY	WEEE Weight	Street Price	Interface	Digital TV (DVB-T)	Analog TV (Pal)	Video Decoder	Remoter	OS	External Digital antenna	FM	Video Audio	NOTE
	Multimedia: PCI-E TV Tuners																
	ES3-110/PTS/FM/AV/RC	3-in-1 hybrid TV card (DVB-T, DVB-S, Analog)	90-YC18A2E-EAY0Z	4719543041338	10	0,25	€ 79,90	PCI-E	Y	Y		Y	Vista Premium, XP, W7	Y	Y	Y	Watching/Recording TV Listening/Recording FM radio Listening MP3 Video editing and VCD burning
	Multimedia: PCI TV Tuners																
	My Cinema-PS3-100	3 in 1 TV tuner + FM (DVB-T, DVB-S, Analog)	90-YC0VA1E-UAY0Z	4719543036624	10	0,25	€ 69,00	PCI	DVB-T DVB-S	Y	Philips SAA 7131	Y	Vista Premium, XP, W7		Y	Y	Watching/Recording TV Listening/Recording FM radio Listening MP3 Video editing and CD burning
	My Cinema-P7131H	TV tuner card (DVB-T & Analog, remote control)	90-YC0JA04-UAYZ	4719543021064	10	0,31	€ 39,00	PCI	Y	Y	Philips SAA 7131	Y	Vista Premium, XP, W7	Y	Y	Y	Watching/Recording TV Listening/Recording FM radio Listening MP3 Video editing and CD burning
	Multimedia: USB TV Tuners																
EOL	US2-400/PT/FM/AV/RC/FL 4GB memoria inclusa	Hybrid Digital&Analog, remote control AV in 4 GB Flash memory for recording program	90-YTOPA19-0AAVD	4719543042434	10	0,15	€ 79,90	USB2.0	Y	Y		Y	Vista Premium, XP, W7	Y	Y	Y	Watching/Recording TV Listening/Recording FM radio Listening MP3 Video editing and CD burning Desktop & Notebook PC compatible
	My Cinema-U3000Hybrid	Digital TV BOX (DVB-T & Analog, remote control)	90-YT0A12-UAY0Z	4719543021972	10	0,15	€ 59,90	USB2.0	Y	Y	Dibcom 7700	Y	Vista Premium, XP, W7	Y	Y	Y	Watching/Recording TV Listening/Recording FM radio Listening MP3 Video editing and CD burning Desktop & Notebook PC compatible
	U3100MINI_PLUS/T/RC/NSW	(DVB-T, with remote control)	90-YT0QA14-0UAY0Z	4719543068496	10	0,1	€ 29,90	USB2.0	Y		Dibcom 7700	Y	W7 Vista Premium, Vista Basic, XP (Linux/FreePC)	Y			Watching/Recording TV Desktop & Notebook PC compatible