

Modello	PN	EAN	MODULO	CPU	MEMORIA	VGA	OTTICO	HDD	OS	KB/M/Reader	LAN	Garanzia	Street ivato	Variazioni
BM5642 ITVA01	90PF0ZAABC32000KCOT	4719543371763	BM5642 (G41)	E3400	2GB DDR3	INT.	DRW 16x	500GB SATA2	FreeDos	-	10/100/1000	1 anno onsite	249,8	-
BM5642 ITVA05	90PF0ZAABG32000KCOT	4719543392744								Y				
BM5642 ITVA02	90PF0ZAADC32000KCOT	4719543371770	BM5642 (G41)	E5800	2GB DDR3	INT.	DRW 16x	500GB SATA2	FreeDos	-	10/100/1000	1 anno onsite	277,7	-
BM5642 ITVA06	90PF0ZAADG32000KCOT	4719543392751								Y				
BM5642 ITVA20	90PF0ZAADG325000COT	4716659009832					DRW 24x							
BM5642 ITVA04	90PF0ZAADD325LD0KCOT	4719543390450	BM5642 (G41)	E5800	2GB DDR3	INT.	DRW 16x	500GB SATA2	W7 Pro 64/Office 2010s	Y	10/100/1000	1 anno onsite	403,3	-
BM5642 ITVA08	90PF0ZAADG325LD0KCOT	4719543392775												
BM5642 ITVA03	90PF0ZAADD4C5LD0KCOT	4719543388679	BM5642 (G41)	E5800	4GB DDR3	5450/512MB	DRW 16x	500GB SATA2	W7 Pro 64/Office 2010s	Y	10/100/1000	1 anno onsite	459,1	-
BM5642 ITVA07	90PF0ZAADG4C5LD0KCOT	4719543392768					DRW 24x							
BM5642 ITVA16	90PF0ZAADF4C5LD0COT	4716659009634												
BM5675 ITVA10	90PF12AA6B415LD0ICOT	4716659005162	BM5675 (H55)	I3-550	4GB DDR3	INT.	DRW 24x	500GB SATA3	W7 Pro 64/Office 2010s	Y	10/100/1000	1 anno onsite	528,8	-
BM5675 ITVA17	90PF12AA6H415LD0QCOT	4716659009726												
BM5675 ITVA09	90PF12AA2B415LD0KCOT	4716659005155	BM5675 (H55)	I5-650	4GB DDR3	INT.	DRW 24x	500GB SATA3	W7 Pro 64/Office 2010s	Y	10/100/1000	1 anno onsite	584,7	-
BM5675 ITVA18	90PF12AA2H415LD0QCOT	4716659009849												
BM6630-ITVA11	90PF1DAAA3235LD0ECOT	4716659006114	BM6630 (H61)	G620	4GB DDR3	5450/512MB	DRW 24x	500GB SATA3	W7 Pro 64/Office 2010s	Y	10/100/1000	1 anno onsite	500,9	-
BM6630-ITVA14	90PF1DAA53215000ECOT	4716659006138	BM6630 (H61)	I5-2310	4GB DDR3	INT.	DRW 24x	500GB SATA3	FreeDos	Y	10/100/1000	1 anno onsite	500,9	-
BM6630-ITVA23	90PF1DAA33215LD0ICOT	4716659019435	BM6630 (H61)	I3-2120	4GB DDR3	INT.	DRW 24x	500GB SATA3	W7 Pro 64/Office 2010s	Y	10/100/1000	1 anno onsite	528,8	Nuovo prodotto
BM6630-ITVA22	90PF1DAA532F5LD0ICOT	4716659019428	BM6630 (H61)	I5-2310	4GB DDR3	6470/1GB	DRW 24x	500GB SATA3	W7 Pro 64/Office 2010s	Y	10/100/1000	1 anno onsite	640,5	Nuovo prodotto
BM6660-ITVA13	90PF1AAA93237LD0CCOT	4716659006831	BM6660 (G67)	I5-2310	4GB DDR3	5450/512MB	DRW 24x	500GB SATA3	W7 Pro 64/Office 2010s	Y	10/100/1000	1 anno onsite	682,3	-
BP6230-ITVA12	90PF1EAA13235LD0ECOT	4716659006145												
BP6230-ITVA19	90PF1EAA13235LD0GCOT	4716659009733	Small Form Factor	I3-2100	4GB DDR3	5450/512MB	DRW 24x	500GB SATA3	W7 Pro 64/Office 2010s	Y	10/100/1000	1 anno onsite	556,7	-

Factor

Modello	PN	EAN	MODULO	CPU	MEMORIA	VGA	OTTICO	HDD	OS	KB/M/Reader	LAN	Garanzia	Other SW/ HW bundle / Special	Street ivato	Variazioni
CM6650 ITCH00	90PD7XDA174EC5B1CKZ	4719543381526	CM6650 (H67)	I3-2100	4GB DDR3 1333MHz	5450/512MB	DRW 24x	500GB SATA3	W7 HP 64/Office 2010s	Y	10/100/1000 + WL N	2 anni PUR	Pc-Cillin, Mpeg2 MP3, Nero	459	Nuovo Prezzo
CM6650 ITCH01	90PD7XDA694DC5B1CKZ	4719543381540	CM6650 (H67)	I5-2300	4GB DDR3 1333MHz	GT530/1GB	DRW 24x	1TB SATA3	W7 HP 64/Office 2010s	Y	10/100/1000 + WL N	2 anni PUR	Pc-Cillin, Mpeg2 MP3, Nero	599	Nuovo Prezzo
CM6650 ITCH05	90PD7XDA794DC5B1CKZ	4716659000174		I5-2310											
CM1630 ITCH06	90PD7ODA994E56B1CKZ	4716659000846	CM1630 (760G)	Phenom II X6 1065T	4GB DDR3 1333MHz	6450/1GD3	DRW 24x	1TB SATA3	W7 HP 64/Office 2010s	Y	10/100/1000 + WL N	2 anni PUR	Pc-Cillin, Mpeg2 MP3, Nero	599	-
CM6730-ITRE00	90PD74DA1747B7B2CKZ	4716659000389	CM6730 (H61)	I3-2100	4GB DDR3 1333MHz	GT530/1GB	DRW 24x	1TB SATA3	W7 HP 64/Office 2010s	Y	10/100/1000 + WL N	2 anni PUR	Pc-Cillin, Mpeg2 MP3, Nero	-	-
CM6730-ITRE01	90PD74DA877HB7B2CKZ	4716659000693	CM6730 (H61)	I5-2310	6GB DDR3 1333MHz	GT530/1GB	BD Combo	1TB SATA3	W7 HP 64/Office 2010s	Y	10/100/1000 + WL N	2 anni PUR	Pc-Cillin, Mpeg2 MP3, Nero	-	-
CG8250 ITCH02	90PD7ZDA172786B1CKZ	4719543375495	CG8250 (H67)	I5-2300	4GB DDR3 1333MHz	GTS450 1GB	DRW 24x	1TB SATA3	W7 HP 64/Office 2010s	Y	10/100/1000 + WL N	2 anni PUR	Pc-Cillin, Mpeg2 MP3, Nero	759	-
CG8250 ITCH07	90PD7ZDA4727H6B1CKZ	4716659000419		I5-2310											
CG8250 ITCH03	90PD7ZDA172A86B1CKZ	4719543376034	CG8250 (H67)	I5-2300	4GB DDR3 1333MHz	GTS450 1GB	BD COMBO	1TB SATA3	W7 HP 64/Office 2010s	Y	10/100/1000 + WL N	2 anni PUR	Pc-Cillin, Mpeg2 MP3, Nero	799	-
CG8250 ITCH08	90PD7ZDA472AH6B1CKZ	4716659000426		I5-2310											
CG8250 ITCH04	90PD7ZDA273AH6B1CKZ	4719543381816	CG8250 (H67)	I7-2600	6GB DDR3 1333MHz	GTS450 1GB	BD COMBO	1TB SATA3	W7 HP 64/Office 2010s	Y	10/100/1000 + WL N	2 anni PUR	Pc-Cillin, Mpeg2 MP3, Nero	949	-
CG8250 ITCH09	90PD7ZDB2C4BH6B1CKZ	4716659007104	CG8250 (H67)	I7-2600	8GB DDR3 1333MHz	GTX560TI/1GB	BD COMBO	1x2TB SATA3, SSD64GB	W7 HP 64/Office 2010s	Y	10/100/1000 + WL N	2 anni PUR	Pc-Cillin, Mpeg2 MP3, Nero	1329	-

Modello	PN	EAN	MODULO	CPU	MEMORIA	VGA	OTTICO	HDD	OS	Gaming KB/M	Card Reader	LAN	Garanzia	Other SW/ HW bundle / Special	Street ivato	Variazioni
CG8565 ITROG00	90PD90DA111213705C0T	4716659017257	CG8565 (Z68)	I7-2600K	16GB DDR3 1600MHz	GTX590/3GB	BD COMBO	2x1TB SATA3, 2xSSD 80GB RAID 0	W7 HP 64/Office 2010s	Y	Y	10/100/1000	2 anni PUR	ASUS REPUBLIC of GAMERS ASUS Xonar audio card Max Overclock	2999	Nuovo Prodotto!
CG8565 ITROG01	TBD	TBD	CG8565 (Z68)	I7-2600K	8GB DDR3 1600MHz	SLI 2xGTX560/1GB	BD COMBO	2x1TB SATA	W7 HP 64/Office 2010s	Y	Y	10/100/1000	2 anni PUR	ASUS REPUBLIC of GAMERS Max Overclock	1999	Nuovo Prodotto!

**Le estensioni di garanzia sono valide *esclusivamente* per i desktop ASUS della serie **COMMERCIAL**, già dotati di 1 anno di assistenza on site**





Estensione garanzia	Descrizione	Validità	P/N	Product Code	Formato	Street iva inclusa
1YR -> 2YR, Local	da 1 anno a 2 anni	Territorio italiano, on site NBD	ACX13-000120PD	WARRANTY EXT/LOCAL/DT LOSS/1YR/AU/STD 1YR	Elettronico	29,9
1YR -> 3YR, Local	da 1 anno a 3 anni	Territorio italiano, on site NBD	ACX13-000100PD	WARRANTY EXT/LOCAL/DT LOSS/2YR/AU/STD 1YR	Elettronico	59,9


**Le estensioni di garanzia vanno attivate registrandosi sul sito <https://vip.asus.com/login.aspx>**




***Effettuato l'accesso, si dovranno inserire i dati del prodotto ed il codice dell'estensione di garanzia***


***La procedura descritta viene effettuata direttamente dall'utilizzatore finale***

***L'utente ha fino ad un max di 180gg per attivare eventuali estensioni di garanzia sul prodotto dalla data di fattura***


Model Name	BM5642	BM5675	BM6630	BM6660
Photo				
Status	MP	MP	MP May 12, 2011	MP Apr. 11, 2011
Motherboard Model	P5G41T-M LX2	P7H55-M	P8H61-M_DP	P8Q67-M DO
O/S Support	Windows® 7 Professional 32/64 Bit	Windows® 7 Professional 32/64 Bit	Windows® 7 Professional 32/64 Bit	Windows® 7 Professional 32/64 Bit
CPU	Intel® Core™ 2 Quad/Core™ 2 Extreme/Core™ 2 Duo/Pentium® dual-core/Celeron® dual-core/Celeron® processors Socket 775 Support CPU up to 95W	Intel® Core™ i7/i5/i3 processors Socket 1156 Support CPU up to 95W	The 2nd generation Intel® Core™ i3/i5/i7 Processors Socket 1155 Support CPU up to 95W	The 2nd generation Intel® Core™ i3/i5/i7 Processors Socket 1155 Support CPU up to 95W
FSB/ System Bus	1333/1066/800 MHz	-	-	-
Chipset	North bridge: Intel® G41 South bridge: ICH7	Intel® H55	Intel® H61	Intel® Q67
Raid	-	-	-	0,1,5,10
Memory	2 x DIMM dual DDR3 1333/1066 MHz Support max. 8GB	4 x DIMM dual DDR3 1333/1066 MHz Support max. 16GB	2 x DIMM Dual-CH DDRIII 1333/1066/800 Support max. 8GB	4 x DIMM dual DDR3 1333/1066 MHz Support max. 16GB
Expansion Slots	2 x PCI 1 x PCI-e x 16 1 x PCI-e x 1	2 x PCI 1 x PCI-e x 16 1 x PCI-e x 1	1 x PCI 1 x PCI-e x 16 2 x PCI-e x 1	2 x PCI 1 x PCI-e x 16 1 x PCI-e x 4
Graphics	Intel® Graphics Media Accelerator X4500 Integrated, Support Microsoft DirectX10	Intel® Graphics Media Accelerator HD Support Microsoft DirectX 10	Intel Graphics Media Accelerator HD 2000/3000	Intel® Graphics Media Accelerator HD Support Microsoft DirectX 10
IDE	1 x UltraDMA 100	-	-	-
Seral ATA	4 x SATA II	4 x SATA II	2 x SATA III 4 x SATA II	4 x SATA II 2 x SATA III
LAN / LAN Chip	Realtek RTL8112LC GB LAN	Realtek RTL8112L GB LAN	Intel® 82579V Gigabit Ethernet	Intel 82579 GB LAN
Audio	VIA VT1705, 6 Channel Codec	ALC887, High-Definition Audio, 8 Channel	Realtek ALC887, 8 Channel	VT1708S , High-Definition Audio, 6 Channel
Dimension (mm) W x H x D	193 x 365 x 420	193 x 365 x 420	193 x 365 x 420	193 x 365 x 420
Dimension (mm) with Carton W x H x D	595 x 500 x 320	595 x 500 x 320	595 x 500 x 320	595 x 500 x 320
Weight with Carton (kg)	13,5	13,5	13,5	13,5
Drive Bays	2 x 5.25" 4 x 3.5" (2 external)	2 x 5.25" 4 x 3.5" (2 external)	2 x 5.25" 4 x 3.5" (2 external)	2 x 5.25" 4 x 3.5" (2 external)
On board header	4 x USB 2.0 - - -	2 x USB 2.0 1 x Parallel Port 1 x Serial Port 1 x Serial Port (Occupied by Rear Panel)	6 x USB 2.0 (4 Occupied by Front Panel) 1 x Parallel Port 1 x Serial Port 1 x Serial Port (Occupied by Rear Panel)	4 x USB 2.0 1 x Parallel Port (Occupied by Rear Panel) 1 x Serial Port (Occupied by Rear Panel) -
Front Panel	4 x USB 2.0 1 x Microphone 1 x Headphone	4 x USB 2.0 1 x Microphone 1 x Headphone	4 x USB 2.0 1 x Microphone 1 x Headphone	4 x USB 2.0 1 x Microphone 1 x Headphone
Rear Panel	4 x USB 2.0 1 x PS/2 (Keyboard) 1 x PS/2 (Mouse) 1 x 6 Channel Audio 1 x DVI 1 x D-Sub(VGA Out) 1 x Parallel Port 1 x Serial Port 1 x RJ45 LAN	6 x USB 2.0 1 x PS/2 (Keyboard) 1 x 8 Channel Audio 1 x DVI 1 x D-Sub (VGA Out) 1 x Parallel Port (On board) 1 x Serial Port 1 x Serial Port (Optional) 1 x RJ45 LAN	4 x USB 2.0 2 x USB 3.0 1 x PS/2 (Keyboard) 1 x PS/2 (Mouse) 1 x 8 Channel Audio 1 x DVI-D 1 x D-Sub (VGA Out) 1 x Parallel Port (Optional) 1 x Serial Port 1 x Serial Port (Optional) 1 x RJ45 LAN	1 x PS/2 (Keyboard) 1 x PS/2 (Mouse) 1 x 6 Channel Audio 1 x DVI 1 x D-Sub (VGA Out) 1 x Parallel Port 1 x Serial Port 1 x Display Port 1 x RJ45 LAN 4 x USB 2.0 2 x USB 3.0
Debug LED	-	-	-	-
ME Button	-	-	-	-
Clear CMOS Button	-	-	-	-
HDMI	-	-	-	-
SPDIF	-	-	-	-
IEEE 1394	-	-	-	-
E-Sata	-	-	-	-
Accessories	1 x Keyboard (USB/PS2) 1 x Mouse (USB) 1 x Warranty Card 1 x Power Cord 1 x User Manual/QIG	1 x Keyboard (USB/PS2) 1 x Mouse (USB) 1 x Warranty Card 1 x Power Cord 1 x User Manual/QIG	1 x Keyboard (USB/PS2) 1 x Mouse (USB) 1 x Warranty Card 1 x Power Cord 1 x User Manual/QIG	1 x Keyboard (USB/PS2) 1 x Mouse (USB) 1 x Warranty Card 1 x Power Cord 1 x User Manual/QIG
Software	PC-cillin 2011 Trail Office 2010 starter Nero 9 Essentials Microsoft Pack PowerDVD FarStone	PC-cillin 2011 Trail Office 2010 starter Nero 9 Essentials Microsoft Pack PowerDVD FarStone	PC-cillin 2011 Trail Office 2010 starter Nero 9 Essentials Microsoft Pack PowerDVD FarStone	PC-cillin 2011 Trail Office 2010 starter Nero 9 Essentials Microsoft Pack PowerDVD FarStone
ASUS Utility	ASUS AI Manager/Suite ASUS Update ASUS Q-fan ASUS EZ Flash Kingston Security Slot Crash Free ASUS EPU F9 One Key Restore	ASUS AI Manager/Suite ASUS Update ASUS Q-fan ASUS EZ Flash Kingston Security Slot Crash Free ASUS EPU F9 One Key Restore	ASUS AI Manager/Suite ASUS Update ASUS Q-fan ASUS EZ Flash Kingston Security Slot Crash Free ASUS EPU F9 One Key Restore	ASUS AI Manager/Suite ASUS Update ASUS Q-fan ASUS EZ Flash Kingston Security Slot Crash Free ASUS EPU F9 One Key Restore
Certifications	CE/CE/UL/EnergyStar/WHQL/WEEE/ROHS/ISO14001:7779;9296	F9 One Key Restore CE/CE/UL/EnergyStar/WHQL/WEEE/ROHS/ISO14001:7779;9296	BSMI,CB,CE,FCC,UL,CCC	BSMI,CB,CE,FCC,UL,CCC
Power Supply	350W / 380W / 350W (80 Plus) Optional	350W /380W / 350W (80 Plus) Optional	350W /380W / 350W (80 Plus) Optional	350W / 350W(80 Plus) Optional / 500W
Noise Level	Idel: under 30dB	Idel: under 30dB	Idel: under 30dB	Idel: 30dB

Model Name	BP6230
Photo	
Status	MP May 12, 2011
Motherboard Model	P8H61-M_DP
O/S Support	Windows® 7 Professional 32/64 Bit
CPU	Intel® Core™ i7/i5/i3 processors Socket 1155 Support CPU up to 95W
FSB/ System Bus	
Chipset	Intel® H61
Raid	
Memory	2 x DIMM Dual-CH DDRIII 1333/1066/800 Support max. 8GB
Expansion Slots	1 x PCI 1 x PCI-e x 16 2 x PCI-e x 1
Graphics	Intel Graphics Media Accelerator HD 2000/3000
IDE	
Seral ATA	2 x SATA III 4 x SATA II
LAN / LAN Chip	Intel Lan
Audio	Realtek ALC887, 8 Channel
Dimension (mm) W x H x D	92 x 330 x 390
Dimension (mm) with Carton W x H x D	555 x 490 x 255
Weight with Carton (Kg)	11
Drive Bays	1 x 5.25" 3 x 3.5" (1 external)
On board header	6 x USB 2.0 (4 Occupied by Front Panel) 1 x Parallel Port 1 x Serial Port 1 x Serial Port (Occupied by Rear Panel)
Front Panel	1 x 5.25" 4 x USB 2.0 1 x Microphone 1 x Headphone
Rear Panel	4 x USB 2.0 2 x USB 3.0 1 x PS/2 (Keyboard) 1 x PS/2 (Mouse) 1 x 8 Channel Audio 1 x DVI-D 1 x D-Sub (VGA Out) 1 x Parallel Port (Optional) 1 x Serial Port 1 x Serial Port (Optional)
Debug LED	1 x RJ45 LAN
ME Button	
Clear CMOS Button	
HDMI	
SPDIF	
IEEE 1394	
E-Sata	
Accessories	1 x Keyboard (USB/PS2) 1 x Mouse (USB) 1 x Warranty Card 1 x Power Cord 1 x User Manual/QIG
Software	PC-cillin 2011 Trail Office 2010 starter Nero 9 Essentials Microsoft Pack PowerDVD FarStone
ASUS Utility	ASUS AI Manager/Suite ASUS Update ASUS Q-fan ASUS EZ Flash Kingston Security Slot Crash Free ASUS EPU F9 One Key Restore
Certifications	BSMI,CB,CE,FCC,UL,CCC
Power Supply	250W/ 250W (80 Plus)
Noise Level	Idel: 30dB

Model Name	CM1630	CM6650	CM6730
Model Name			
90* P/N	90PD70*	90PD7X*	90PD74*
PVT Date	MP	MP	MP
MP Date	MP	MP	MP
RD PM/Sales PM	Chunhua Chou/Alan Rau	Chunhua Chou/Cheyenne Su	Chunhua Chou/Alan Rau
Operating System	Genuine Windows® 7 Home Premium	Genuine Windows® 7 Home Premium	Genuine Windows® 7 Home Premium
W7 32/64 bit	64bit	64bit	64bit
VHP 32/64 bit	N/A	N/A	N/A
VHB 32/64 bit	N/A	N/A	N/A
Processor	AM3/ AM2+ /AM2 For Phenom™ II/Athlon™ II/ Phenom™/ Athlon™/ Sempron™ Family Processors (AM3/ AM2+ / AM2)	2nd generation Intel® Core™ i3/i5 Processors	2nd generation Intel® Core™ i3/i5 Processors
Chipset	North Bridge: AMD 760G South Bridge: AMD SB710	Intel H67	Intel H61
Memory	4 x DIMM Slots Dual Channel DDR3 1333 Support max. 16 GB	4 x DIMM Slots Dual Channel DDR3 1333 Support max. 16 GB	2 x DIMM Slots Dual Channel DDR3 1333 Support max. 8 GB
Graphics card	Integrated ATI Radeon HD3000 Support Microsoft DirectX10 Discrete VGA choice: 512MB Ati 4350	Integrated Intel® GMA Support Microsoft DirectX10.1 Discrete VGA choice: 1G NVIDIA GeForce GT420 1G NVIDIA GeForce GT430	Integrated Intel® GMA Support Microsoft DirectX10.1 Discrete VGA choice: 512MB Ati 5450 1G NVIDIA GeForce GT430
Hard Drive	SATA 3.5" Up to 4 TB	SATA 3.5" Up to 4 TB	SATA/SATA6Gb 3.5" Up to 4 TB
Drive Bay	2 x 5.25", 2 x 3.5"	2 x 5.25", 2 x 3.5"	2 x 5.25", 2 x 3.5"
SATA Connector	5 x SATA	3 x SATA 3.0Gb/s ports 2 x SATA 6.0 Gb/s ports	4 x SATA 3.0Gb/s ports 2 x SATA 6.0 Gb/s ports
IDE Connector	N/A	N/A	N/A
Networking	LAN: 10/100/1000 Mbps	LAN: 10/100/1001 Mbps	LAN: 10/100/1000 Mbps
Primary CD/DVD drive	24X DVD Light Scribe/ Super-multi	24X DVD Light Scribe/ Super-multi	24X DVD Light Scribe/ Super-multi
Secondary CD/DVD drive	24X DVD Super-multi	24X DVD Super-multi	24X DVD Super-multi
Expansion Slots	2 x PCI 1 x PCI-e x 1 1 x PCI-e x 16	2 x PCI 1 x PCI-e x 4 (PCI-e x16 slot) 1 x PCI-e x 16	1 x PCI 2 x PCI-e x 1 1 x PCI-e x 16
Card Reader	16 in 1 CF SLOT: CF/ Micro Drive MS SLOT: MS/ MS Duo/ MS Pro/ MS Pro Duo SD/MMC SLOT: SD/ MMC/ MMC4.0/ RS-MMC/ RS-MMC4.0/ SDHC Adapter required: MS Micro-M2/ MINI SD/ Micro SD/ MINI MMC	16 in 1 CF SLOT: CF/ Micro Drive MS SLOT: MS/ MS Duo/ MS Pro/ MS Pro Duo SD/MMC SLOT: SD/ MMC/ MMC4.0/ RS-MMC/ RS-MMC4.0/ SDHC Adapter required: MS Micro-M2/ MINI SD/ Micro SD/ MINI MMC x0000 x0000 x0000 x0000 x0000	6 in 1 MS, MS Pro, MMC, SD, SDHC, XD
Audio	ALC887 8 channels High Definition Audio 8-channel CODEC	ALC892 8-channel High Definition Audio 8-channel CODEC	ALC892 8-channel High Definition Audio 8-channel CODEC
Font Panel	1 x 16-in-1 Card Reader 1 x Headphone 1 x Microphone 4 x USB 2.0	1 x 16-in-1 Card Reader 1 x Headphone 1 x Microphone 4 x USB 2.0	1 x 6-in-1 Card Reader 1 x Headphone 1 x Microphone 2 x USB 2.0
Rear Panel	1 x PS/2 1 x RJ45 LAN(10/100/1000) 1 x 8 channel Audio I/O 1 x HDMI 1 x DVI 1 x VGA 1 x S/PDIF 6 x USB 2.0	1 x PS/2 1 x RJ45 LAN(10/100/1000) 1 x 8 channel Audio I/O 1 x HDMI 1 x DVI 1 x VGA 1 x S/PDIF 2 x USB 3.0 4 x USB 2.0	1 x PS/2 1 x RJ45 LAN(10/100/1000) 1 x 8 channel Audio I/O 1 x HDMI 1 x VGA 1 x S/PDIF 2 x USB 3.0 4 x USB 2.0
Dimension & Weight(NW/GW)	173 x 410 x 420 mm (W x H x D) 10.5Kg/11.5Kg	173 x 410 x 420 mm (W x H x D) 10.5Kg/11.5Kg	173 x 410 x 420 mm (W x H x D) 10.5Kg/11.5Kg
Dimension & Weight(Carton)	560 x 250 x 525 mm (W x H x D)	560 x 250 x 525 mm (W x H x D)	560 x 250 x 525 mm (W x H x D)
Power Supply	300W (PFC)	300W (PFC)	300W (PFC)
Accessories	1 x Keyboard (USB) 1 x Mouse (USB) 1 x Warranty Card 1 x Power Cord 1 x Quick Manual	1 x Keyboard (USB) 1 x Mouse (USB) 1 x Warranty Card 1 x Power Cord 1 x Quick Manual	1 x Keyboard (USB) 1 x Mouse (USB) 1 x Warranty Card 1 x Power Cord 1 x Quick Manual
Software	PC-cillin 2011 Trial Office 2010 starter nero 9 Essentials Microsoft Pack Adobe Reader	PC-cillin 2011 Trial Office 2010 starter nero 9 Essentials Microsoft Pack Adobe Reader	PC-cillin 2011 Trial Office 2010 starter nero 9 Essentials Microsoft Pack Adobe Reader
ASUS Utility	ASUS AI Manager ASUS My Logo2 ASUS Update ASUS Q-fan ASUS@Vibe	ASUS AI-SUITE II ASUS AI Manager ASUS My Logo2 ASUS Update ASUS Q-fan ASUS@Vibe	ASUS AI-SUITE II ASUS AI Manager ASUS My Logo2 ASUS Update ASUS Q-fan ASUS@Vibe
Market that is selling CM series already	NA	TWN & EU	TWN & EU & NA
Bezel PN	13GP255AT010-1 NA	13GP255AT010-1 NA	NA

Model Name	CG8250	
Barebone Model Name		
90* P/N	90PD7*	
PVT Date	MP	
MP Date	MP	
RD PM/Sales PM	Chantal Yeh/Ben Chou	
Operating System	Genuine Windows® 7 Home Premium	
W7 32/64 bit	64bit	
VHP 32/64 bit	64bit	
VHB 32/64 bit	N/A	
Processor	2nd generation Intel® Core™ i3/i5/i7 Processors	
Chipset	Intel H67	
Memory	4 x DIMM Slots Dual Channel DDR3 1333 Support max. 32 GB	
Graphics card	Integrated Intel® GMA Support Microsoft DirectX10.1 Discrete VGA Choice: NV GTX560 Ti (1G/D5) NV GTX460 DX 11 GTX550 Ti (1G/D5) GTS450 (1G/D5) NV GTS30 (2G/D3)	NV NV
Hard Drive	SATA 3.0 Up to 4TB 2 x 5.25", 2 x 3.5"	
Drive Bay	2 x 5.25", 2 x 3.5"	
SATA Connector	3 x SATA 3.0Gb/s ports	
IDE Connector	2 x SATA 6.0Gb/s ports	
Networking	LAN: 10/100/1000 Mbps	
Primary CD/DVD drive	16X DVD Super-multi / BD-Combo	
Secondary CD/DVD drive	Y	
Expansion Slots	2 x PCI 1 x PCI-e x 4 (PCI-e x16 slot) 1 x PCI-e x 16	
Card Reader	16 in 1 CF SLOT: CF/ Micro Drive MS SLOT: MS/ MS Duo/ MS Pro/ MS Pro Duo SD/MMC SLOT: SD/ MMC/ MMC4.0/ RS-MMC/ RS-MMC4.0/ SDHC Adapter required: MS	
Audio	Micro SD/ MINI SD/ Micro SD/ MINI MMC High Definition Audio 8-channel CODEC	
Front Panel	1 x 16-in-1 Card Reader 1 x Microphone 1 x Headphone 4 x USB 2.0	
Rear Panel	1 x RJ45 LAN 1 x 8 channel Audio I/O 1 x PS/2 1 x S/PDIF 1 x HDMI 1 x DVI 1 x VGA 2 x USB 3.0	
Dimension & Weight(NW/GW)	200x287x334 mm (W x H x D) 12Kg/13Kg	
Dimension & Weight(Carton)	595 x 325x 575 mm (W x H x D)	
Power Supply	1 x 400W OR 1 x 500W	
Accessories	1 x Keyboard (USB) 1 x Mouse (USB) 1 x Warranty Card 1 x Power Cord	
Software	1 x Quick Manual PC-cillin 2010 Trail Office 2010 starter nero 9 Essentials Microsoft Pack Adobe Reader	
ASUS Utility	ASUS AI Manager ASUS My Logo2 ASUS Update ASUS Q-fan ASUS@Vibe ASUS AI Suite II	
Market that is selling	GER	
CG series already	N/A	
Bezel PN	N/A	



Model Name	CG8565
Barebone Model Name	
90* P/N	90PD90*
PVT Date	17/08/2011
MP Date	15/09/2011
RD PM/Sales PM	Nadia_Huang/Ben_Chou
Operating System	Genuine Windows® 7 Home Premium
W7 32/64 bit	64bit
VHP 32/64 bit	64bit
VHB 32/64 bit	N/A
Processor	2nd generation Intel® Core™ i5/i7 Processors
Chipset	Intel Z68
Memory	4 x DIMM Slots Dual Channel DDR3 1333/1600 Support max. 32 GB
Graphics card	Integrated Intel® GMA Support Microsoft DirectX11 Discrete VGA Choice: NVIDIA      ENGTX560 Ti 1G NVIDIA      ENGTX590 Ti 3G
Hard Drive	SATA 3.5" Up to 10TB   3 x 5.25", 5 x 3.5"
Drive Bay	5 x 5.25", 3 x 3.5"
SATA Connector	4 x SATA 3.0Gb/s ports 4 x SATA 6.0 Gb/s ports
IDE Connector	N/A
Networking	LAN: 10/100/1000 Mbps
Primary CD/DVD drive	24X DVD Super-multi / BD-Combo
Secondary CD/DVD drive	Y
Expansion Slots	2 x PCI 2 x PCI-e x 1 3 x PCI-e x 16

Card Reader	16 in 1 CF SLOT: CF/ Micro Drive MS SLOT: MS/ MS Duo/ MS Pro/ MS Pro Duo  SD/MMC SLOT: SD/ MMC/ MMC4.0/ RS-MMC/ RS-MMC4.0/ SDHC  Adapter required: MS Micro-M2/ MINI SD/ Micro SD/ MINI MMC
Audio	ALC892 8-channel High Definition Audio 8-channel CODEC
Front Panel	1 x 16-in-1 Card Reader 1 x Microphone 1 x Headphone 2 x USB 2.0 2 x USB 3.0
Rear Panel	1 x RJ45 LAN(10/100/1000) 1 x 8 channel Audio I/O 1 x HDMI 1 x DVI 1 x VGA 1 x S/PDIF 6 x USB 2.0 2 x USB3.0 1 x eSATA
Dimension & Weight(NW/GW)	270 x 500 x 600 (W x H x D) 20 Kgs
Dimension & Weight(Carton)	
Power Supply	1 x 700W
Accessories	1 x Keyboard (USB) 1 x Mouse (USB) 1 x Warranty Card 1 x Power Cord 1 x Quick Manual 1 x User Manual

Software	PC-cillin 2010 Trail Window Live 4 Office 2010 starter Bing Bar nero 9 Essentials Microsoft Pack Adobe Reader Adobe Flash Player Titanium 3.0 Lucid Virtu Bupdater ArcSoft TMT
ASUS Utility	ASUS AI Manager ASUS My Logo2 ASUS Update ASUS Q-fan ASUS@Vibe ASUS AI Suite II Asus Web Storage BTTurboRemote FastBoot
Market that is selling CG series already	
Bezel PN	N/A